


Sterilization Container Systems

Secure Today
Elevate Tomorrow





ABOUT US

KARAOĞLU is a family company serving in the health sector. Founded in 1955 by our father Ali Karaoğlu as a forging and blacksmith shop, KARAOĞLU was established in 1994 to meet the needs of Turkey in the surgical instrument sector. We continue to produce for human health by combining the knowledge and experience from the past with the R&D studies and technological developments needed by the industry.

Our Mission

To grow in the health sector by blending experience and knowledge with technological developments and to continue to be one of the leading and permanent companies of the sector in the constantly changing and developing world. At the same time, by educating new generations like a school, we both contribute to their professional development and fulfill our responsibility towards our country.



PRODUCTION

Our surgical instrument products are produced in international standards and have the variety to meet the needs of all branches. Our factory produces general surgery, gynecology, urology, neurosurgery, cardiovascular surgery, ENT surgery, plastic surgery and sterile containers instruments. All our products are made of high quality German stainless steel in accordance with modern production techniques.

GUARANTEE

Products bearing the KARAOĞLU registered trademark and logo are guaranteed for 2 years against material and workmanship defects. During this period, tools that fail under normal use will be repaired or replaced free of charge. Maintenance and repair are carried out for products out of warranty.

Sterilization Container Systems




Special Stackability Design

2 mm Aluminium
Bottom & Lid

OEM-PLM
Marking Option



Sterilization Container Systems




Place and Go Gasket



Shape / No Glue

Double-Button
Extra-Secure Lock



Filter Retainer With
Sealing & Spring System

Spring-Loaded Aluminium
Lock for
Better Grip and Sealing

Face Plate Made of
Single Block of Aluminium

Extra-Strong Silicone Coated
Ergonomic Handles





Different Lids Colors

Our sterilization containers at Karaoglu come in eight different colors (silver, yellow, red, blue, green, black, bronze and purple) ensuring to easily distinguish between different sets or types of instruments at a glance.





Advantages of Multiple Colors

- **Enhanced Organization:** Different colors can be used to categorize and organize instruments based on their usage, department, or level of sterilization, reducing the risk of cross-contamination and improving efficiency..
- **Easy Identification:** Color-coding helps in quickly identifying the contents of each container, saving time and reducing errors in busy environments.
- **Improved Workflow:** With a clear visual system in place, staff can more easily manage inventory and ensure that the right instruments are always in the right place.

Customized Solutions & Tailored to Your Needs

Karaoglu sterilization containers are manufactured in 8 main sizes to accommodate various surgical needs: standard sizes (1/1 Full Size, 3/4 Quarter Size, 1/2 Half Size, Mini, Dental and 1/2 Dental Size) are ideal for common instrument sets, while the Wide Body size suits specialized instruments like Bookwalter retractors, and the Long Body size is designed for extended instruments such as robotic arms.

The sterilization containers are crafted in five primary heights to suit a variety of surgical instruments. Additionally, custom sizes or heights can be tailored to meet specific requirements.


Standard 5 Different Heights For Standard & Reusable Models




Extra
Long Size



Extra
Wide Size



1/1
Full Size



3/4
Quarter Size



1/2
Half Size



1/2 Dental Size



Dental Size



Mini Size

Standard 8 Different Size Types
For Standard & Reusable Models

Steam Sterilization Procedure According to EN868-8 and EN 285

Type	Packaging according to EN 868-8		Steam sterilization procedure according to EN 285				
	Description	Symbolic Packaging	Gravity	Pre-Vacuum	Fractional Vacuum	Fractional Flow	Steam Injection
Sterilization Container with filters	Textiles in container with filter in lid and box		+	+	+	+	+
			O	O	+	+	+
	Textiles in container with filter in lid, non-perforated box		-	-	+	+	+
			-	-	+	+	O
	Textiles in container with filter in box, non-perforated lid		O	+	+	+	+
			-	O	+	+	+
	Instruments in wire basket, in sterilization filter in lid and box		+3	+	+	+	+
	Instruments in wire basket, in sterilization container filter in lid and non-perforated box		-	+2	+2	+2	+2
	Instruments in wire basket, in sterilization container filter in box and non-perforated lid		O	+	+	+	+
			O	+	+	+	+
Sterilization Container with valves	Textiles in sterilization container with valves in lid and box		-	O	+	+	O
			-	-	+	+	O
	Textiles in sterilization container with valves in lid and no valves on the box		-	-	+	+	-
			-	-	+	+	-
	Instruments in wire basket in sterilization container with valve in lid and box		-	+2	+2	+2	+2
	Instruments in wire basket, in sterilization container with valve in lid and non-perforated box		-	+2	+2	+2	+2

*To prevent errors during service, operation, or loading of the autoclaves, consult above table.

*Use only sterilization containers that guarantee proper evaporation or discharge of condensate.

*Keep in mind that gravitation-based procedures, which lack a dedicated drying process, do not ensure sufficient after-drying effects.

STANDARD & REUSABLE MODELS

SECURE TODAY

ELEVATE TOMORROW





WHY STERILIZATION CONTAINERS?

- Consistent Processing
- Reduced Risk of Contamination
- Physical Instrument Protection
- Optimal Set Organization
- Reusability / Sustainability
- Reduced Waste
- Streamlined Process
- Easy Identification and Access
- Adherence to Standards
- Minimized Handling

Standard Model

Sterilization Container Systems



Today's Safety.
Tomorrow's Efficiency



Elevated Sterilization Solutions: For Your Operational Excellence

Discover our 2mm special alloy aluminum container systems that provide superior protection for your surgical instruments. Available in 8 different color palettes, they facilitate organization and quick identification. This solution supports your operational excellence by combining reliability, an eco-friendly approach, and long-term cost advantages.

SAFETY LIDS



TWO DIFFERENT FILTER TYPES

Paper Filter or PTFE Filter



EASE WITH COLORS EXCELLENCE IN WORKFLOW



Different Lids Colors



TWO BOTTOM TYPES



Non Perforated



Perforated



Standard Model

1/1 Full Size



Different Lids
Colors



With Safety Lid



With Perforated Lid



Non
Perforated




Perforated



Code	Outside Dimension Inside Dimension L x W x H
K1-10-110	595 x 270 x 95 mm 544 x 257 x 92 mm
K1-10-135	595 x 270 x 115 mm 544 x 257 x 113 mm
K1-10-150	595 x 270 x 140 mm 544 x 257 x 137 mm
K1-10-200	595 x 270 x 190 mm 544 x 257 x 187 mm
K1-10-260	595 x 270 x 250 mm 544 x 257 x 247 mm

Code	Outside Dimension Inside Dimension L x W x H
KP1-10-110	595 x 270 x 95 mm 544 x 257 x 80 mm
KP1-10-135	595 x 270 x 115 mm 544 x 257 x 101 mm
KP1-10-150	595 x 270 x 140 mm 544 x 257 x 125 mm
KP1-10-200	595 x 270 x 190 mm 544 x 257 x 175 mm
KP1-10-260	595 x 270 x 250 mm 544 x 257 x 235 mm



Lids



Colors	Code
Grey	K1-10-1
Yellow	K1-10-2
Green	K1-10-3
Blue	K1-10-4
Red	K1-10-5
Black	K1-10-6
Purple	K1-10-7
Bronze	K1-10-8

Dimension
585 x 285 mm




Safety Lids



Colors	Code
Grey	KS1-10-1
Yellow	KS1-10-2
Green	KS1-10-3
Blue	KS1-10-4
Red	KS1-10-5
Black	KS1-10-6
Purple	KS1-10-7
Bronze	KS1-10-8

Dimension
605 x 287 mm

Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Code	Outside Dimension L x W x H
B1-5425-30	540 x 255 x 30 mm
B1-5425-50	540 x 255 x 50 mm
B1-5425-70	540 x 255 x 70 mm
B1-5425-100	540 x 255 x 100 mm

Code	Outside Dimension L x W x H
B1-5425	510 x 240 x 5 mm

Perforated Basket




Mesh: 4x4 mm
Wire: ø 1 mm



Code	Outside Dimension L x W x H
B2-5425-30	540 x 253 x 40 mm
B2-5425-50	540 x 253 x 60 mm
B2-5425-70	540 x 253 x 80 mm
B2-5425-100	540 x 253 x 110 mm

Code	Outside Dimension L x W x H
B2-5425	540 x 256 x 5 mm

Hybrid Basket




Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Code	Outside Dimension L x W x H
B3-5425-50	540 x 255 x 50 mm
B3-5425-70	540 x 255 x 70 mm
B3-5425-100	540 x 255 x 100 mm

Code	Outside Dimension L x W x H
B1-5425	540 x 255 x 5 mm

Silicone Mat



Code	Outside Dimension L x W x H
A7-5425	500 x 235 mm



Standard Model

1/1 Full Size Baskets


Wire Basket



Perforated Basket



Hybrid Basket



Standard Model

3/4 Quarter Size

 Different Lids
Colors



With Safety Lid



With Perforated Lid



Non
Perforated



Perforated




Code **Outside Dimension**
Inside Dimension
L x W x H

K1-20-110	470 x 270 x 95 mm 430 x 260 x 92 mm
K1-20-135	470 x 270 x 115 mm 430 x 260 x 101 mm
K1-20-150	470 x 270 x 140 mm 430 x 260 x 137 mm
K1-20-200	470 x 270 x 184 mm 430 x 260 x 178 mm

Code **Outside Dimension**
Inside Dimension
L x W x H

KP1-20-110	470 x 270 x 95 mm 430 x 260 x 80 mm
KP1-20-135	470 x 270 x 115 mm 430 x 260 x 101 mm
KP1-20-150	470 x 270 x 140 mm 430 x 260 x 125 mm
KP1-20-200	470 x 270 x 184 mm 430 x 260 x 166 mm



Lids



Colors	Code
Grey	K1-20-1
Yellow	K1-20-2
Green	K1-20-3
Blue	K1-20-4
Red	K1-20-5
Black	K1-20-6
Purple	K1-20-7
Bronze	K1-20-8

Dimension
465 x 285 mm



Safety Lids



Colors	Code
Grey	KS1-20-1
Yellow	KS1-20-2
Green	KS1-20-3
Blue	KS1-20-4
Red	KS1-20-5
Black	KS1-20-6
Purple	KS1-20-7
Bronze	KS1-20-8

Dimension
482 x 287 mm

Wire Basket



Box

Code	Outside Dimension L x W x H
B1-4025-30	405 x 255 x 30 mm
B1-4025-50	405 x 255 x 50 mm
B1-4025-70	405 x 255 x 70 mm
B1-4025-100	405 x 255 x 100 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-4025	375 x 240 x 5 mm

Standard Model

3/4 Quarter Size Baskets

Wire Basket



Perforated Basket



Box (with 10 mm feet)

Code	Outside Dimension L x W x H
B2-4025-30	405 x 252 x 40 mm
B2-4025-50	405 x 252 x 60 mm
B2-4025-70	405 x 252 x 80 mm
B2-4025-100	405 x 252 x 110 mm



Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B2-4025	409 x 256 x 5 mm

Perforated Basket



Hybrid Basket



Box

Code	Outside Dimension L x W x H
B3-4025-50	405 x 245 x 50 mm
B3-4025-70	405 x 245 x 70 mm
B3-4025-100	405 x 245 x 100 mm


Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm




Lid

Code	Outside Dimension L x W x H
B1-4025	405 x 245 x 5 mm

Hybrid Basket



Silicone Mat



Code	Outside Dimension L x W x H
A7-4025	370 x 235 mm



Standard Model

1/2 Half Size



Different Lids
Colors



With Safety Lid



With Perforated Lid



Non
Perforated




Perforated



Code	Outside Dimension Inside Dimension L x W x H
K1-30-110	300 x 270 x 95 mm 255 x 255 x 92 mm
K1-30-135	300 x 270 x 115 mm 255 x 255 x 113 mm
K1-30-150	300 x 270 x 140 mm 255 x 255 x 137 mm
K1-30-200	300 x 270 x 190 mm 255 x 255 x 187 mm
K1-30-260	300 x 270 x 250 mm 255 x 255 x 247 mm

Code	Outside Dimension Inside Dimension L x W x H
KP1-30-110	300 x 270 x 95 mm 255 x 255 x 80 mm
KP1-30-135	300 x 270 x 115 mm 255 x 255 x 101 mm
KP1-30-150	300 x 270 x 140 mm 255 x 255 x 125 mm
KP1-30-200	300 x 270 x 190 mm 255 x 255 x 175 mm
KP1-30-260	300 x 270 x 250 mm 255 x 255 x 235 mm



Lids



Colors	Code
Grey	K1-30-1
Yellow	K1-30-2
Green	K1-30-3
Blue	K1-30-4
Red	K1-30-5
Black	K1-30-6
Purple	K1-30-7
Bronze	K1-30-8

Dimension
295 x 285 mm



Safety Lids



Colors	Code
Grey	KS1-30-1
Yellow	KS1-30-2
Green	KS1-30-3
Blue	KS1-30-4
Red	KS1-30-5
Black	KS1-30-6
Purple	KS1-30-7
Bronze	KS1-30-8

Dimension
315 x 287 mm

Wire Basket



Box

Code	Outside Dimension L x W x H
B1-2525-30	255 x 245 x 30 mm
B1-2525-50	255 x 245 x 50 mm
B1-2525-70	255 x 245 x 70 mm
B1-2525-100	255 x 245 x 100 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-2525	240 x 215 x 5 mm

Perforated Basket



Box (with 10 mm feet)

Code	Outside Dimension L x W x H
B2-2525-30	242 x 252 x 40 mm
B2-2525-50	242 x 252 x 60 mm
B2-2525-70	242 x 252 x 80 mm
B2-2525-100	242 x 252 x 110 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B2-2525	246 x 256 x 5 mm

Hybrid Basket



Box

Code	Outside Dimension L x W x H
B3-2525-50	255 x 245 x 50 mm
B3-2525-70	255 x 245 x 70 mm
B3-2525-100	255 x 245 x 100 mm


Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-2525	245 x 245 x 5 mm

Silicone Mat



Code	Outside Dimension L x W x H
A7-2525	225 x 235 mm



Standard Model

1/2 Half Size Baskets


Wire Basket



Perforated Basket



Hybrid Basket



Standard Model

Long Size



Different Lids
Colors



With Perforated Lid



With Color Options



Non
Perforated



Code **Outside Dimension**
Inside Dimension
L x W x H

K1-40-150 770 x 270 x 135 mm
720 x 260 x 130 mm

K1-40-200 770 x 270 x 190 mm
720 x 260 x 185 mm



Perforated



Code **Outside Dimension**
Inside Dimension
L x W x H

KP1-40-150 770 x 270 x 135 mm
720 x 260 x 118 mm

KP1-40-200 770 x 270 x 190 mm
720 x 260 x 173 mm

Lids

Colors **Code**

Grey K1-40-1

Yellow K1-40-2

Green K1-40-3

Blue K1-40-4

Red K1-40-5

Black K1-40-6

Purple K1-40-7

Bronze K1-40-8

Dimension
755 x 285 mm



Standard Model

Long Size Baskets

Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box



Lid

Code	Outside Dimension L x W x H
B1-6625-50	665 x 250 x 50 mm
B1-6625-70	665 x 250 x 70 mm
B1-6625-100	665 x 250 x 100 mm

Code	Outside Dimension L x W x H
B1-6625	635 x 235 x 5 mm

Perforated Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box (with 10 mm feet)



Lid

Code	Outside Dimension L x W x H
B2-6625-30	665 x 253 x 40 mm
B2-6625-50	665 x 253 x 60 mm
B2-6625-70	665 x 253 x 80 mm
B2-6625-100	665 x 253 x 110 mm

Code	Outside Dimension L x W x H
B2-6625	668 x 256 x 5 mm

Hybrid Basket



Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Box



Lid


Code	Outside Dimension L x W x H
B3-6625-50	665 x 245 x 50 mm
B3-6625-70	665 x 245 x 70 mm
B3-6625-100	665 x 245 x 100 mm

Code	Outside Dimension L x W x H
B1-6625	668 x 256 x 5 mm


Wire Basket



Perforated Basket



Hybrid Basket



Standard Model

Wide Size

 Different Lids Colors



With Perforated Lid



With Color Options



Non Perforated



Perforated



Code **Outside Dimension**
Inside Dimension
L x W x H


K1-50-110 595 x 365 x 105 mm
545 x 352 x 100 mm

K1-50-170 595 x 365 x 165 mm
545 x 352 x 160 mm

Code **Outside Dimension**
Inside Dimension
L x W x H

KP1-50-110 595 x 365 x 105 mm
545 x 352 x 88 mm

KP1-50-170 595 x 365 x 165 mm
545 x 352 x 148 mm

 Lids

Colors **Code**

Grey K1-50-1

Yellow K1-50-2

Green K1-50-3

Blue K1-50-4

Red K1-50-5

Black K1-50-6

Purple K1-50-7

Bronze K1-50-8

Dimension
585 x 370 mm



Standard Model

Wide Size Baskets

Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H


B1-5333-50	533 x 337 x 50 mm
B1-5333-70	533 x 337 x 70 mm
B1-5333-100	533 x 337 x 100 mm

Code
B1-5333
Outside Dimension
L x W x H
533 x 337 x 5 mm

Perforated Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box (with 10 mm feet)



Lid

Code **Outside Dimension**
L x W x H

B2-5333-30	533 x 339 x 40 mm
B2-5333-50	533 x 339 x 60 mm
B2-5333-70	533 x 339 x 80 mm
B2-5333-100	533 x 339 x 110 mm

Code
B2-5333
Outside Dimension
L x W x H
534 x 343 x 5 mm

Hybrid Basket



Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H



B3-5333-50	533 x 337 x 50 mm
B3-5333-70	533 x 337 x 70 mm
B3-5333-100	533 x 337 x 100 mm

Code
B1-5333
Outside Dimension
L x W x H
533 x 337 x 5 mm


Wire Basket



Perforated Basket



Hybrid Basket



Standard Model

Flat Size



Different Lids
Colors



With Perforated Lid



With Color Options



Non
Perforated

Code **Outside Dimension**
Inside Dimension
L x W x H

K1-90-45 295 x 270 x 45 mm
255 x 255 x 41 mm

K1-90-75 295 x 270 x 75 mm
255 x 255 x 71 mm



Lids

Colors **Code**

Grey K1-90-1

Yellow K1-90-2

Green K1-90-3

Blue K1-90-4

Red K1-90-5

Black K1-90-6

Purple K1-90-7

Bronze K1-90-8

Dimension
295 x 285 mm

Standard Model

Flat Size Baskets

Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Code **Outside Dimension**
L x W x H

B1-2525-30 255 x 245 x 30 mm

B1-2525-50 255 x 245 x 50 mm

Code
B1-2525
Outside Dimension
L x W x H
240 x 215 x 5 mm

Perforated Basket



Mesh: 4x4 mm
Wire: ø 1 mm




Code **Outside Dimension**
L x W x H

B2-2525-30 242 x 252 x 40 mm

B2-2525-50 242 x 252 x 60 mm

Code
B2-2525
Outside Dimension
L x W x H
246 x 256 x 5 mm

Silicone Mat




Code
A7-2525
Outside Dimension
L x W x H
225 x 235 mm

Wire Basket



Perforated Basket



Standard Model

Mini Size



Different Lids
Colors



With Perforated Lid




With Color Options



Non
Perforated

Code	Outside Dimension
	Inside Dimension L x W x H
K1-70-40	315 x 130 x 40 mm 275 x 127 x 30 mm
K1-70-70	315 x 130 x 70 mm 275 x 127 x 60 mm
K1-70-100	315 x 130 x 100 mm 275 x 127 x 90 mm
K1-70-130	315 x 130 x 130 mm 275 x 127 x 120 mm



Lids



Colors	Code
Grey	K1-70-1
Yellow	K1-70-2
Green	K1-70-3
Blue	K1-70-4
Red	K1-70-5
Black	K1-70-6
Purple	K1-70-7
Bronze	K1-70-8

Dimension
315 x 130 mm

Standard Model

Mini Size Baskets

Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H

B1-2712-40 270 x 117 x 40 mm

B1-2712-100 268 x 117 x 100 mm

Code
B1-2712
Outside Dimension
L x W x H
270 x 117 x 5 mm

Perforated Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box (with 10 mm feet)



Lid


Code **Outside Dimension**
L x W x H

B2-2712-40 265 x 125 x 50 mm

B2-2712-100 265 x 125 x 110 mm

Code
B2-2712
Outside Dimension
L x W x H
268 x 128 x 5 mm

Silicone Mat





Code
A7-2712
Outside Dimension
L x W x H
270 x 125 mm

Wire Basket



Perforated Basket



Standard Model

Dental Size



Different Lids
Colors



With Perforated Lid




With Color Options



Non
Perforated

Code	Outside Dimension
	Inside Dimension L x W x H
K1-60-40	320 x 185 x 40 mm 280 x 182 x 30 mm
K1-60-70	320 x 185 x 70 mm 280 x 182 x 40 mm
K1-60-100	320 x 185 x 100 mm 280 x 182 x 90 mm
K1-60-130	320 x 185 x 130 mm 280 x 182 x 120 mm



Lids

Colors	Code
Grey	K1-60-1
Yellow	K1-60-2
Green	K1-60-3
Blue	K1-60-4
Red	K1-60-5
Black	K1-60-6
Purple	K1-60-7
Bronze	K1-60-8

Dimension
325 x 190 mm

Standard Model

Dental Size Baskets

Wire Basket



Mesh: $\varnothing$ 4x4 mm
Wire: $\varnothing$ 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H

B1-2717-40 270 x 170 x 40 mm

B1-2717-100 270 x 170 x 100 mm

Code

B1-2717

Outside Dimension
L x W x H

270 x 170 x 5 mm

Perforated Basket



Mesh: $\varnothing$ 4x4 mm
Wire: $\varnothing$ 1 mm



Box (with 10 mm feet)



Lid

Code **Outside Dimension**
L x W x H

B2-2717-40 275 x 175 x 50 mm

B2-2717-100 275 x 175 x 110 mm

Code

B2-2717



Outside Dimension
L x W x H

278 x 178 x 5 mm

Wire Basket



Perforated Basket



Standard Model

1/2 Dental Size



Different Lids
Colors



With Perforated Lid



With Color Options



Non
Perforated

Code	Outside Dimension
	Inside Dimension L x W x H
K1-80-40	225 x 160 x 40 mm 190 x 157 x 30 mm
K1-80-70	225 x 160 x 70 mm 190 x 157 x 60 mm
K1-80-100	225 x 160 x 100 mm 190 x 157 x 90 mm
K1-80-130	225 x 160 x 130 mm 190 x 157 x 120 mm



Lids

Colors	Code
Grey	K1-80-1
Yellow	K1-80-2
Green	K1-80-3
Blue	K1-80-4
Red	K1-80-5
Black	K1-80-6
Purple	K1-80-7
Bronze	K1-80-8

Dimension
230 x 175 mm

Standard Model

1/2 Dental Size Baskets

Wire Basket



Mesh: ø 4x4 mm
Wire: ø 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H

B1-1714-40 175 x 145 x 40 mm

B1-1714-100 175 x 145 x 100 mm

Code
B1-1714

Outside Dimension
L x W x H
175 x 145 x 5 mm


Perforated Basket



Mesh: ø 4x4 mm
Wire: ø 1 mm



Box (with 10 mm feet)



Lid

Code **Outside Dimension**
L x W x H

B2-1714-40 175 x 145 x 50 mm

B2-1714-100 175 x 145 x 110 mm



Code
B2-1714

Outside Dimension
L x W x H
178 x 148 x 5 mm

Wire Basket



Perforated Basket



Clean. Safe. Sustainable.

2 Different Filtering System

Mechanical Valve System & Barrier System



Reduce



Reuse



Renew



Different Lids
Colors

BARRIER MODEL

The Barrier Model is an innovative sterilization container designed to ensure maximum safety in CSSD workflows. Its labyrinth structure prevents microorganisms from entering, maintaining sterility for extended periods. This design offers reliable, practical, and scientifically proven protection.


BARRIER FILTERS



EASY-TO-USE LOCK / UNLOCK



STEAM FILTER CROSS-SECTIONAL VIEW



EASE WITH COLORS
EXCELLENCE IN WORKFLOW

8 Different Lids Colors



Scientific Foundation

The principle behind the Barrier mechanism traces back to Louis Pasteur's groundbreaking "Swan Neck Flask" experiment in 1862, which challenged the idea of spontaneous generation. Pasteur designed a flask with an S-shaped neck that allowed air to pass freely but trapped dust and microorganisms in its curves. When the broth inside was boiled and left untouched, no microbial growth occurred, clearly proving that life could not emerge without contamination from existing microorganisms. However, once the flask was tilted and the trapped particles reached the broth, microbial growth appeared almost immediately.

The Barrier Model adopts the same principle through its labyrinth-like system. By forcing air to travel through a complex path, it prevents microorganisms and viruses from penetrating the container. This ensures that sterility is maintained, while still allowing necessary airflow. The result is a reliable and scientifically validated protective system, directly inspired by one of the most important experiments in microbiology.

Reusable Model

Sterilization Container Systems

KARAOĞLU®
CERRAHI ALETLER İML. SAN. TİC. LTD. ŞTİ.

REDUCE. REUSE. RENEW.

Seize Cost Control and Sustainability: Ditch the waste expense and embrace the smart, permanent solution.



Reduce



Reuse



Renew



VALVE MODEL

Karaoglu Valve Model sterilization containers are designed with an advanced mechanical valve system that removes the need for disposable filters while delivering stable and reliable performance throughout extended use.

Each valve is precisely engineered with integrated gaskets that ensure smooth operation in response to pressure variations during the sterilization process. The secure closure, supported by high-grade silicone gaskets, provides excellent sealing integrity and long-term durability.


Combining innovative design with practicality, Karaoglu Valve Model containers offer a sustainable and cost-efficient solution for safe and effective sterilization in healthcare environments worldwide.

EASE WITH COLORS EXCELLENCE IN WORKFLOW


8 Different Lids Colors




RUNNING PRINCIPLE



At the beginning of the sterilization cycle, the vacuum phase causes the valves to fully open, allowing the evacuation of dry air from the container.



During the sterilization cycle, the pressure-activated valves automatically open under positive pressure, enabling controlled steam penetration for effective sterilization.



Once the process is complete, and no external forces such as vacuum or pressure are present, the entire system remains sealed, preserving the sterility of its contents.

Reusable Model

1/1 Full Size



Different Lids
Colors



With Reusable Mechanism




With Color Options



Non
Perforated

Code **Outside Dimension**
Inside Dimension
L x W x H

K1-10-110	595 x 270 x 95 mm 544 x 257 x 92 mm
K1-10-135	595 x 270 x 115 mm 544 x 257 x 113 mm
K1-10-150	595 x 270 x 140 mm 544 x 257 x 137 mm
K1-10-200	595 x 270 x 190 mm 544 x 257 x 187 mm
K1-10-260	595 x 270 x 250 mm 544 x 257 x 247 mm




Valve Lids

Colors **Code**

Grey	K2-10-1
Yellow	K2-10-2
Green	K2-10-3
Blue	K2-10-4
Red	K2-10-5
Black	K2-10-6
Purple	K2-10-7
Bronze	K2-10-8

Dimension
585 x 285 mm



Barrier Lids

Colors **Code**

Grey	K3-10-1
Yellow	K3-10-2
Green	K3-10-3
Blue	K3-10-4
Red	K3-10-5
Black	K3-10-6
Purple	K3-10-7
Bronze	K3-10-8


Dimension
585 x 285 mm



Reusable Model

1/1 Full Size Baskets

Wire Basket



Box

Code	Outside Dimension L x W x H
B1-5425-30	540 x 255 x 30 mm
B1-5425-50	540 x 255 x 50 mm
B1-5425-70	540 x 255 x 70 mm
B1-5425-100	540 x 255 x 100 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-5425	510 x 240 x 5 mm

Perforated Basket



Box (with 10 mm feet)

Code	Outside Dimension L x W x H
B2-5425-30	540 x 253 x 40 mm
B2-5425-50	540 x 253 x 60 mm
B2-5425-70	540 x 253 x 80 mm
B2-5425-100	540 x 253 x 110 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B2-5425	540 x 256 x 5 mm

Hybrid Basket



Box

Code	Outside Dimension L x W x H
B3-5425-50	540 x 255 x 50 mm
B3-5425-70	540 x 255 x 70 mm
B3-5425-100	540 x 255 x 100 mm


Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-5425	540 x 255 x 5 mm

Silicone Mat





Code	Outside Dimension L x W x H
A7-5425	500 x 235 mm


Wire Basket



Perforated Basket



Hybrid Basket



Reusable Model

3/4 Quarter Size



Different Lids
Colors



With Reusable Mechanism



With Color Options



Non
Perforated




Code **Outside Dimension**
Inside Dimension
L x W x H

K1-20-110 470 x 270 x 95 mm
430 x 260 x 92 mm

K1-20-135 470 x 270 x 115 mm
430 x 260 x 101 mm

K1-20-150 470 x 270 x 140 mm
430 x 260 x 137 mm

K1-20-200 470 x 270 x 184 mm
430 x 260 x 178 mm



Valve Lids

Colors **Code**

Grey K2-20-1

Yellow K2-20-2

Green K2-20-3

Blue K2-20-4


Red K2-20-5

Black K2-20-6

Purple K2-20-7

Bronze K2-20-8

Dimension
465 x 285 mm



Barrier Lids

Colors **Code**

Grey K3-20-1

Yellow K3-20-2

Green K3-20-3

Blue K3-20-4

Red K3-20-5

Black K3-20-6

Purple K3-20-7

Bronze K3-20-8

Dimension
465 x 285 mm

Wire Basket




Code	Outside Dimension L x W x H
B1-4025-30	405 x 255 x 30 mm
B1-4025-50	405 x 255 x 50 mm
B1-4025-70	405 x 255 x 70 mm
B1-4025-100	405 x 255 x 100 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Code	Outside Dimension L x W x H
B1-4025	375 x 240 x 5 mm

Perforated Basket



Code	Outside Dimension L x W x H
B2-4025-30	405 x 252 x 40 mm
B2-4025-50	405 x 252 x 60 mm
B2-4025-70	405 x 252 x 80 mm
B2-4025-100	405 x 252 x 110 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Code	Outside Dimension L x W x H
B2-4025	409 x 256 x 5 mm

Hybrid Basket




Code	Outside Dimension L x W x H
B3-4025-50	405 x 245 x 50 mm
B3-4025-70	405 x 245 x 70 mm
B3-4025-100	405 x 245 x 100 mm

Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Code	Outside Dimension L x W x H
B1-4025	405 x 245 x 5 mm

Silicone Mat



Code	Outside Dimension L x W x H
A7-4025	370 x 235 mm


Reusable Model

3/4 Quarter Size Baskets


Wire Basket



Perforated Basket



Hybrid Basket



Reusable Model

1/2 Half Size

 Different Lids Colors



With Reusable Mechanism



With Color Options




Non Perforated

Code **Outside Dimension**
Inside Dimension
L x W x H


K1-30-110	300 x 270 x 95 mm 255 x 255 x 92 mm
K1-30-135	300 x 270 x 115 mm 255 x 255 x 113 mm
K1-30-150	300 x 270 x 140 mm 255 x 255 x 137 mm
K1-30-200	300 x 270 x 190 mm 255 x 255 x 187 mm
K1-30-260	300 x 270 x 250 mm 255 x 255 x 247 mm




 **Valve Lids**

Colors	Code
Grey	K2-30-1
Yellow	K2-30-2
Green	K2-30-3
Blue	K2-30-4
Red	K2-30-5
Black	K2-30-6
Purple	K2-30-7
Bronze	K2-30-8

Dimension
295 x 285 mm



 **Barrier Lids**

Colors	Code
Grey	K3-30-1
Yellow	K3-30-2
Green	K3-30-3
Blue	K3-30-4
Red	K3-30-5
Black	K3-30-6
Purple	K3-30-7
Bronze	K3-30-8

Dimension
295 x 285 mm

Reusable Model

1/2 Half Size Baskets

Wire Basket



Box

Code	Outside Dimension L x W x H
B1-2525-30	255 x 245 x 30 mm
B1-2525-50	255 x 245 x 50 mm
B1-2525-70	255 x 245 x 70 mm
B1-2525-100	255 x 245 x 100 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-2525	240 x 215 x 5 mm

Perforated Basket



Box (with 10 mm feet)

Code	Outside Dimension L x W x H
B2-2525-30	242 x 252 x 40 mm
B2-2525-50	242 x 252 x 60 mm
B2-2525-70	242 x 252 x 80 mm
B2-2525-100	242 x 252 x 110 mm

Mesh: 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B2-2525	246 x 256 x 5 mm

Hybrid Basket



Box

Code	Outside Dimension L x W x H
B3-2525-50	255 x 245 x 50 mm
B3-2525-70	255 x 245 x 70 mm
B3-2525-100	255 x 245 x 100 mm


Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-2525	245 x 245 x 5 mm

Silicone Mat





Code	Outside Dimension L x W x H
A7-2525	225 x 235 mm


Wire Basket



Perforated Basket



Hybrid Basket



Reusable Model

Long Size

 Different Lids
Colors



With Reusable Mechanism




With Color Options



Non
Perforated


Code	Outside Dimension
	Inside Dimension L x W x H
K1-40-150	770 x 270 x 135 mm 720 x 260 x 130 mm
K1-40-200	770 x 270 x 190 mm 720 x 260 x 185 mm



Valve Lids

Colors	Code
Grey	K2-40-1
Yellow	K2-40-2
Green	K2-40-3
Blue	K2-40-4
Red	K2-40-5
Black	K2-40-6
Purple	K2-40-7
Bronze	K2-40-8

Dimension
770 x 270 mm



Barrier Lids

Colors	Code
Grey	K3-40-1
Yellow	K3-40-2
Green	K3-40-3
Blue	K3-40-4
Red	K3-40-5
Black	K3-40-6
Purple	K3-40-7
Bronze	K3-40-8

Dimension
770 x 270 mm

Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box



Lid

Code	Outside Dimension L x W x H
B1-6625-50	665 x 250 x 50 mm
B1-6625-70	665 x 250 x 70 mm
B1-6625-100	665 x 250 x 100 mm

Code	Outside Dimension L x W x H
B1-6625	635 x 235 x 5 mm

Perforated Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box (with 10 mm feet)



Lid

Code	Outside Dimension L x W x H
B2-6625-30	665 x 253 x 40 mm
B2-6625-50	665 x 253 x 60 mm
B2-6625-70	665 x 253 x 80 mm
B2-6625-100	665 x 253 x 110 mm

Code	Outside Dimension L x W x H
B2-6625	668 x 256 x 5 mm

Hybrid Basket



Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Box



Lid

Code	Outside Dimension L x W x H
B3-6625-50	665 x 245 x 50 mm
B3-6625-70	665 x 245 x 70 mm
B3-6625-100	665 x 245 x 100 mm

Code	Outside Dimension L x W x H
B1-6625	668 x 256 x 5 mm



Reusable Model

Long Size Baskets


Wire Basket



Perforated Basket



Hybrid Basket



Reusable Model

Wide Size



Different Lids
Colors



With Reusable Mechanism




With Color Options



Non
Perforated

Code	Outside Dimension
	Inside Dimension L x W x H
K1-50-110	595 x 365 x 105 mm 545 x 352 x 100 mm
K1-50-170	595 x 365 x 165 mm 545 x 352 x 160mm



Valve Lids

Colors	Code
Grey	K2-50-1
Yellow	K2-50-2
Green	K2-50-3
Blue	K2-50-4
Red	K2-50-5
Black	K2-50-6
Purple	K2-50-7
Bronze	K2-50-8

Dimension
585 x 370 mm

Barrier Lids

Colors	Code
Grey	K3-50-1
Yellow	K3-50-2
Green	K3-50-3
Blue	K3-50-4
Red	K3-50-5
Black	K3-50-6
Purple	K3-50-7
Bronze	K3-50-8

Dimension
585 x 370 mm

Reusable Model

Wide Size Baskets

Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H


B1-5333-50	533 x 337 x 50 mm
B1-5333-70	533 x 337 x 70 mm
B1-5333-100	533 x 337 x 100 mm

Code
B1-5333
Outside Dimension
L x W x H
533 x 337 x 5 mm

Perforated Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box (with 10 mm feet)



Lid

Code **Outside Dimension**
L x W x H

B2-5333-30	533 x 339 x 40 mm
B2-5333-50	533 x 339 x 60 mm
B2-5333-70	533 x 339 x 80 mm
B2-5333-100	533 x 339 x 110 mm

Code
B2-5333
Outside Dimension
L x W x H
534 x 343 x 5 mm

Hybrid Basket



Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H



B3-5333-50	533 x 337 x 50 mm
B3-5333-70	533 x 337 x 70 mm
B3-5333-100	533 x 337 x 100 mm

Code
B1-5333
Outside Dimension
L x W x H
533 x 337 x 5 mm


Wire Basket



Perforated Basket



Hybrid Basket



Reusable Model

Flat Size



Different Lids
Colors



With Reusable Mechanism



With Color Options



Non
Perforated

Code **Outside Dimension**
Inside Dimension
L x W x H

K1-90-75 295 x 270 x 75 mm
255 x 255 x 71 mm



Lids

Colors **Code**

Grey K3-90-1

Yellow K3-90-2

Green K3-90-3

Blue K3-90-4

Red K3-90-5

Black K3-90-6

Purple K3-90-7

Bronze K3-90-8

Dimension
295 x 285 mm

Reusable Model

Wide Size Baskets

Wire Basket



Box

Code **Outside Dimension**
L x W x H

B1-5333-50	533 x 337 x 50 mm
B1-5333-70	533 x 337 x 70 mm
B1-5333-100	533 x 337 x 100 mm

Mesh: 4x4 mm
Wire: ø 1 mm

Lid

Code
B1-5333
Outside Dimension
L x W x H
533 x 337 x 5 mm

Perforated Basket



Box (with 10 mm feet)

Code **Outside Dimension**
L x W x H

B2-5333-30	533 x 339 x 40 mm
B2-5333-50	533 x 339 x 60 mm
B2-5333-70	533 x 339 x 80 mm
B2-5333-100	533 x 339 x 110 mm

Mesh: 4x4 mm
Wire: ø 1 mm

Lid

Code
B2-5333
Outside Dimension
L x W x H
534 x 343 x 5 mm

Hybrid Basket



Box

Code **Outside Dimension**
L x W x H

B3-5333-50	533 x 337 x 50 mm
B3-5333-70	533 x 337 x 70 mm
B3-5333-100	533 x 337 x 100 mm

Mesh: 4x4 mm
Sides: ø 3 mm
Wire: ø 1 mm



Lid

Code
B1-5333
Outside Dimension
L x W x H
533 x 337 x 5 mm


Wire Basket



Perforated Basket



Hybrid Basket



Reusable Model

Mini Size



Different Lids
Colors



With Reusable Mechanism



With Color Options



Non
Perforated

Code	Outside Dimension Inside Dimension L x W x H
------	--

K1-70-70	315 x 130 x 70 mm 275 x 127 x 60 mm
K1-70-100	315 x 130 x 100 mm 275 x 127 x 90 mm
K1-70-130	315 x 130 x 130 mm 275 x 127 x 120 mm



Lids

Colors	Code
--------	------

Grey	K3-70-1
Yellow	K3-70-2
Green	K3-70-3
Blue	K3-70-4
Red	K3-70-5
Black	K3-70-6
Purple	K3-70-7
Bronze	K3-70-8

Dimension
315 x 130 mm



Reusable Model

Mini Size Baskets


Wire Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H

B1-2712-40 270 x 117 x 40 mm


B1-2712-100 268 x 117 x 100 mm

Code
B1-2712
Outside Dimension
L x W x H
270 x 117 x 5 mm

Perforated Basket



Mesh: 4x4 mm
Wire: ø 1 mm



Box (with 10 mm feet)



Lid


Code **Outside Dimension**
L x W x H

B2-2712-40 265 x 125 x 50 mm

B2-2712-100 265 x 125 x 110 mm

Code
B2-2712
Outside Dimension
L x W x H
268 x 128 x 5 mm

Silicone Mat





Code
A7-2712
Outside Dimension
L x W x H
270 x 125 mm

Wire Basket



Perforated Basket



Reusable Model

Dental Size



Different Lids
Colors



With Reusable Mechanism



With Color Options



Non
Perforated

Code **Outside Dimension**
Inside Dimension
L x W x H

K1-60-70	320 x 185 x 70 mm 280 x 182 x 40 mm
K1-60-100	320 x 185 x 100 mm 280 x 182 x 90 mm
K1-60-130	320 x 185 x 130 mm 280 x 182 x 120 mm



Lids

Colors	Code
Grey	K3-60-1
Yellow	K3-60-2
Green	K3-60-3
Blue	K3-60-4
Red	K3-60-5
Black	K3-60-6
Purple	K3-60-7
Bronze	K3-60-8

Dimension
320 x 190 mm

Reusable Model

Dental Size Baskets

Wire Basket



Mesh: $\varnothing$ 4x4 mm
Wire: $\varnothing$ 1 mm



Box



Lid

Code **Outside Dimension**
L x W x H

B1-2717-40 270 x 170 x 40 mm

B1-2717-100 270 x 170 x 100 mm

Code

B1-2717

Outside Dimension
L x W x H

270 x 170 x 5 mm

Perforated Basket



Mesh: $\varnothing$ 4x4 mm
Wire: $\varnothing$ 1 mm



Box (with 10 mm feet)



Lid

Code **Outside Dimension**
L x W x H

B2-2717-40 275 x 175 x 50 mm

B2-2717-100 275 x 175 x 110 mm

Code

B2-2717



Outside Dimension
L x W x H

278 x 178 x 5 mm

Wire Basket



Perforated Basket



Reusable Model

1/2 Dental Size

 Different Lids
Colors



With Reusable Mechanism



With Color Options



Non
Perforated

Code	Outside Dimension
	Inside Dimension L x W x H

K1-80-70	225 x 160 x 70 mm 190 x 157 x 60 mm
K1-80-100	225 x 160 x 100 mm 190 x 157 x 90 mm
K1-80-130	225 x 160 x 130 mm 190 x 157 x 120 mm

 Lids


Colors	Code
Grey	K3-80-1
Yellow	K3-80-2
Green	K3-80-3
Blue	K3-80-4
Red	K3-80-5
Black	K3-80-6
Purple	K3-80-7
Bronze	K3-80-8

Dimension
230 x 175 mm

Reusable Model

1/2 Dental Size Baskets

Wire Basket



Box

Mesh: ø 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B1-1714-40	175 x 145 x 40 mm
B1-1714-100	175 x 145 x 100 mm

Code
B1-1714

Outside Dimension
L x W x H
175 x 145 x 5 mm

Perforated Basket



Box (with 10 mm feet)

Mesh: ø 4x4 mm
Wire: ø 1 mm



Lid

Code	Outside Dimension L x W x H
B2-1714-40	175 x 145 x 50 mm
B2-1714-100	175 x 145 x 110 mm


Code
B2-1714

Outside Dimension
L x W x H
178 x 148 x 5 mm

Wire Basket



Perforated Basket



Sterilization Baskets

Sterilization Container Systems



Organize.


Sterilize.

Excel.

Holding the
Standard




Three Different Types of Basket Models by Construction/Material




Perforated Sheet

Ø 1 mm
□ 4 mm



Wire Mesh

Ø 1 mm
□ 4 mm



Hybrith

Ø 1 mm
□ 4 mm

Side Mesh
Ø 3 mm



KARAOĞLU CERRAHİ ALETLER

İstiklal Mah. İlkadim Sanayi Sitesi 58. Sok. No:77
TEKKEKÖY/SAMSUN

Tel : 0555 013 61 05 - (0362) 238 61 04 - Fax : (0362) 238 55 91

info@karaoglucerrahi.com.tr
karaoglucerrahi.com.tr